

Krack 4-Fan Ammonia Evaporator – 8.7 Tons

Mfg: Krack


Model: DT4S-1045-RBA-HGC-RH

Stock No: RBFM571A

Serial No:

(3) 1995 Krack 4-Fan Ammonia Evaporator. Model: DT4S-1045-RBA-HGC-RH. S/N(s) include: 484275-01F and 484275-01G. Refrigerant: recirculated R-717 (ammonia). Nominal capacity: 104,450 Btuh for a 10°F TD or 8.7 tons. Design psig: 302. Power supply: 220V, single phase. Tube material of construction: galvanized steel. Number of fans: 4. Fan diameter: 1 ft. 10 in. Fin material of construction: galvanized steel. Fins per inch: 4. (4) MagneTek Century AC motor, 1/2 hp, 3 phase. Inlets: (1) 2 ½ in dia. port, (1) 2 in. dia. port. Outlets: (1) 1-1/2 in. dia. port, (1) ¾ in. dia. port (drain). Overall dimensions: 11 ft. L x 2 ft. 10 in. W x 2 ft. 7 in. H.(ACN77).(BK).





MODEL DT45-1045-RBA-HGC-RH
 SERIAL NO. 484275-01G
 MFDY 10/97 INSPECTED 324
 REFRIGERANT R-717
 DESIGN PRESSURE 302 PSIG

MOTOR CIRCUIT

AMOUNT	VOLTS	HZ	PH	H.P. EA.	FLA EA.
4	460	60	3	1/2	.95

MINIMUM CIRCUIT CAPACITY 4.00 AMPS
 MAXIMUM FUSE OR CIRCUIT BREAKER 15.00 AMPS

HEATER CIRCUIT

WATTS	VOLTS	HZ	PH	FLA

HEATER CIRCUIT 1
 HEATER CIRCUIT 2
 HEATER CIRCUIT 3
 HEATER CIRCUIT 4

MODEL DT45-1045-RBA-HGC-RH
 SERIAL NO. 484275-01F
 MFDY 10/97 INSPECTED 324
 REFRIGERANT R-717
 DESIGN PRESSURE 302 PSIG

MOTOR CIRCUIT

AMOUNT	VOLTS	HZ	PH	H.P. EA.	FLA EA.
4	460	60	3	1/2	.95

MINIMUM CIRCUIT CAPACITY 4.00 AMPS
 MAXIMUM FUSE OR CIRCUIT BREAKER 15.00 AMPS

HEATER CIRCUIT

WATTS	VOLTS	HZ	PH	FLA

HEATER CIRCUIT 1
 HEATER CIRCUIT 2
 HEATER CIRCUIT 3
 HEATER CIRCUIT 4

