

Carrier Air-Cooled Condenser - 80 Ton

Mfg: Carrier

Model: 09DE084510

Stock No: tLDF02

Serial No: Z393927

Carrier Air-Cooled Condenser - 80 Ton. Model: 09DE084510. S/N: Z393927. Motors: (4) 0.75 NEC HP, 200 V, 1 phase, 60 Hz, 7.7 FLA and (2) 0.66 NEC HP, 200/230 V, 1 phase, 60 Hz, 6.2 FLA. Weight: 2820 lbs. Overall Dimensions: 13 ft. L x 7 ft. 2 in. W x 7 ft. 5 in. H.







Carrier
Air Conditioning

MODEL 09DE084510 SERIAL 7993927

COMP	QTY	VOLTS AC	PH	HZ	RLA	LRA	WIRE/ SYSTEM	DESIGN / TEST PRESSURE GAGE
COMP							12/27/500	LBS HIGH PSI 420 kPa 2895
FAN MOTORS	QTY	VOLTS AC	PH	HZ	FLA	HP		kW OUT
OUTDOOR	4	00		60	127	.75 REC		0.55
OUTDOOR	2	200/230	1	60	62	.66 REC		0.40
INDOOR								
OTHER								
HEATERS							TOTAL	SUITABLE FOR OUTDOORS USE
		208/240	3 PH	60	62		MIN CIRCUIT AMPS	MAX OVERCURRENT PROTECTIVE CIRCUIT AMPS
		25.3	MAX	187	MIN	1	3.5	60

MIN CLEARANCE TO COMBUSTIBLE MATERIALS: PICKUP FOR FURTHER INFO
ELECTRIC HEAT IS INSTALLED: TEST WITH EXTERNAL BATTERY: WIRE: W/4 R/L
MADE IN USA: CHARGE 10% TYP FOR INSTALLATION INSTRUCTIONS: 09DE084510

2594 LISTED

NOTICE TO RIGGERS

MODEL	WEIGHT LBS	kg	A IN	mm	B IN	mm
09DE044	1225	556	108 ³ / ₁₆	2748	66 ¹ / ₄	1683
09DE054	1800	816	130 ⁵ / ₁₆	3310	76 ¹ / ₄	1937
09DE064	2050	930	130 ⁵ / ₁₆	3310	76 ¹ / ₄	1937
09DE084	2820	1279	130 ⁵ / ₁₆	3310	76 ¹ / ₄	1937

HEAVY END
(19mm) 3/4" NOTCHES IN END OF SPREADERS

NOTE: RIG WITH FOUR CABLES AND SPREAD WITH TWO 90" (2286mm) AND TWO "A" LONG SUITABLE SPREADER BARS.

1. ALL PANELS MUST BE IN PLACE WHEN RIGGING. DO NOT ATTEMPT TO FORK THESE UNITS.

09DE084510

NOTICE TO RIGGERS

MODEL	WEIGHT LBS	kg	A IN	mm	B IN	mm
09DE044	1225	556	108 ³ / ₁₆	2748	66 ¹ / ₄	1683
09DE054	1800	816	130 ⁵ / ₁₆	3310	76 ¹ / ₄	1937
09DE064	2050	930	130 ⁵ / ₁₆	3310	76 ¹ / ₄	1937
09DE084	2820	1279	130 ⁵ / ₁₆	3310	76 ¹ / ₄	1937

HEAVY END
(19mm) 3/4" NOTCHES IN END OF SPREADERS

NOTE: RIG WITH FOUR CABLES AND SPREAD WITH TWO 90" (2286mm) AND TWO "A" LONG SUITABLE SPREADER BARS.

1. ALL PANELS MUST BE IN PLACE WHEN RIGGING. DO NOT ATTEMPT TO FORK THESE UNITS.

09DE084510

76 ¹ / ₄	1937
76 ¹ / ₄	1937
76 ¹ / ₄	1937

HEAVY END
(19mm) 3/4" NOTCHES IN END OF SPREADERS

NOTE: RIG WITH FOUR CABLES AND SPREAD WITH TWO 90" (2286mm) AND TWO "A" LONG SUITABLE SPREADER BARS.

1. ALL PANELS MUST BE IN PLACE WHEN RIGGING. DO NOT ATTEMPT TO FORK THESE UNITS.

09DE084510

HEAVY END
(19mm) 3/4" NOTCHES IN END OF SPREADERS

NOTE: RIG WITH FOUR CABLES AND SPREAD WITH TWO 90" (2286mm) AND TWO "A" LONG SUITABLE SPREADER BARS.

CAUTION!

1. ALL PANELS MUST BE IN PLACE WHEN RIGGING.
2. DO NOT ATTEMPT TO FORK THESE UNITS.

09DE084510